






Mobile Bluetooth Receipt Printer Specification

Model No.		SP-T9
Features:  <ul style="list-style-type: none"> -Quick and efficient printing -Long lasting lithium-ion battery -Easy drop-in clamshell paper loading -Supports wide variety of serial and wireless communication options -Continuous printing even battery is charging -Easy to store setup parameters by setup tools 		
Print	Printing Method	Thermal Line
	Printing Speed	80mm/s
	Resolution	8 dots/mm 576 dots/line
	Effective Printing Width	72mm
Character	Character Set	ASCII, GB18030 (Chinese), BIG5
	Print Font	Codepage, ANK: 9×17 / 12 x24, Chinese: 24x24
	Character per Line	48
Paper Spec	Paper Type	Thermal paper
	Paper Width	80.0± 0.5mm
	Paper Roll Diameter	40mm(max.)
	Roll Core Inner Diameter	13mm(min.)
	Paper Thickness	0.06~0.08mm
Ribbon Cassette		N/A
Paper Supply Method		Drop-in easy paper loading
Printer Mechanism		Fujitsu Brand
Reliability	MCBF(Mean Cycles Between Failure)	1.5 million lines
	TPH	50km
Smart Card		N/A
MSR		N/A
Barcode		1D: EAN-13, EAN-8, UPC-A, UPC-E, CODE39, CODE93, CODE128, CODABAR, INTERLEAVED 25 2D: PDF417、QRCODE、DATA Matrix
Emulation		ESC/POS
Driver		Windows 98 / ME / 2000 / NT / XP / 2003 Server/Vista/Linux/Win7/Window8(8.1)Present P.C systems.
Sensor		Paper End Sensor

Interface		USB/Bluetooth
Others	Button	Power, Feed, Mode
	Indicator	Power, Feed, Mode
	LCD	N/A
	Display Content	N/A
	Memory	Flash: 512kb; RAM: 128kb
	Receive Buffer Size	32K
	SDK	Windows CE; Windows Mobile 5.0/6.0; Symbian; Blackberry, Android, Google Cloud and iOS(SP-T9i) Present mobile and tablet systems.
	Multi-languages	46 codepages
	Setup Software	support set bitmap download, baud rate, font, speed, density, password, black mark, Bluetooth etc.
Power	Power Supply (Adapter)	DC9V/2A
	Battery Power	7.4V, 1.5A rechargeable Li-ion battery
	Battery Charge	100m continuous printing
	Charge Time	less than 3 hours
	Battery Duration	standby 360 hours, continuous printing 100m length
Auto Cutter	Type	N/A
	Life	N/A
	Cutting Method	N/A
Physical	Net Weight	256g
	Gross Weight	516g (Including battery & roll paper)
	Printer Dimension(WxLxH)	103mm x99mm x 46mm
	Color	Black/Beige
Environment	Operating Temp	0-50°C
	Storage Temp	-20-60°C
	Operating Humidity	10%-80%
	Storage Humidity	10%-90%
Application		Restaurants, Department Stores, Kitchen, Convenience Stores, Specialty Retail, Supermarket
Accessories		Battery,Charger USB Cable,CD Driver,Leather Case and Paper-roll Option: vehicle charger
Inner Package (WxLxH)		210mm x 155mm x 90mm(1.5kg)
Outer Package(WxLxH)		N/A
Bluetooth Password		Enter default pairing code "1234", it can be customized. At max 6 digitals.

Description:

Mini Bluetooth Printer is a portable thermal printer that combines USB,RS-232 Serial and Bluetooth communication interface together, The printer could be powered by car charger, and rechargeable battery(depending on specified models) . These special characters make it successfully be applied to a variety of instruments, handheld data printing.



Made for
• iPhone 4S
• iPhone 4
• iPhone 3GS
• iPod touch (4th generation)
• iPod touch (3rd generation)
• iPad2
• iPad

“Made for iPod,” “Made for iPhone,” and “Made for iPad” mean that an electronic accessory has been designed to connect specifically to iPod, iPhone, or iPad, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.

iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries

[CHARGE]: Battery charge indicator [ERROR]: Error indicator
[FEED]: FEED button [MODE]: MODE button



Application Area:

Compared to the traditional thermal receipt printer, Mini printer has smaller body, more reliable capability, more steady printing and portable advantages. The Mini printer can work on a lot of locations, such as the TAXI bill printing, administrative fees receipt printing, post receipt printing, restaurant ordering information printing, online payment information printing, etc. With the rapid popularity of smart-mobile, tablet and so on, Mini printer will be more widely used in the near future.

Packing Details

1 unit thermal receipt printer
1 roll thermal paper
1 pc power adaptor
1 pc leather case
1 pc battery
1 pc interface cable

Inner Package (WxLxH) 210x155x90mm (1.5kg)
Outer Package (WxLxH) 445x360x460mm (12 units) per Standard Carton

Power adaptor for option:

*British Standard
*American Standard
*European Standard
*Chinese Standard

